ATTR Syntax: Attr filename [permissions] Usage: Examine or change the security permissions of a file Opts: -perm = turn off specified permission perm= turn on specified permission -a = rms: d - directory file inhibit to owner w - write permit AUSTRALIAN r - read permit to public te permit to public BACKUP to own Syntax ge: Copies all data from **0S9** one de ead error occurs single writes BASIC09 Syntax: Basic0 BUILD Syntax: NEWSLETTER from standard input filenar CHD S nge working directory to specifi Usage: Change execution directory to specified path the Syntax Cmp filename! filename? Usage: File comparison utility COBBLER Syntax: Cobbler devname : Creates OS-9 bootstrap file from current boot CONFIG a disks COPY Syntax Syntax data from E Syntax: one fil Date It Opts: t =**EDITOR** ame> Usage specify Gordon Bentzen directory sters -m for wor 8 Odin Street = save of unused cluster niy - o =SUNNYBANK Qld 4109 (devname) print }<devn</pre> t Del |-x| filenan * -- x = Deldir (07) 345 - 5141delete vntax: Dir directo the file e x x=print names Usage: Display s converted characters to standard output DSAVE Syntax: Dsave [-opts] [dev] [pathname] Usage: Generates procedure file to copy all files in a directory system Opts: -b make a system disk by using OS9boot if present -b=<path> = make system disk using pat do not makdir process b o num K command APRIL 1990 tandard ECHO Syn output ED oriented error messages for given error numbers EX Syntax: ex <modname> Usage: Chain to the given module FORMAT Syntax: Format <devname> Usage : Initializes an OS-9 diskette Opts ; R - Ready L
- Logical format only "disk name" 1/2 number of sides 'No of

AUSTRALIAN OS9 NEWSLETTER Newsletter of the National OS9 User Group Volume 4 Number 3

EDITOR : Gordon Bentzen

HELPERS : Bob Devries and Don Berrie

SUPPORT : Brisbane OS9 Level 2 User Group.

The CoCo4 - We have yet another update regarding the rumoured CoCo4 thanks to Peter Edwards, Victoria, so if you found the information in last month's newsletter interesting, then read on as we have more of the same.

The following text is comprised of messages and postings directly from COMPUSERVE and we reproduce what we think are the interesting parts.

From : Kevin Darling (Wed Feb 14th)

While I'm heavily involved in both KMAs, I can now say who the two companies are so that they get credit. One is being done for Kenneth-Leigh Enterprises (aka Paul Ward) and the other for Frank Hogg Labs (aka Frank Hogg). Details when possible...hang on. Also when possible I'll mention the names of the main designers of each (they're too busy to come up for air right now).

There is already interest in OSK. Unfortunately I don't think I can say yet what PC products are being ported, but there are some nice ones. The big question becomes: will we be able to afford them? The answer to that will depend on how many of these OSK machines are sold... the more market, the cheaper the software can be. best - Kev.

From : L Harris

> I think that the 68k side of the KMA will be the way to go; remember when the CoCo 3 was coming out how > concerned people were about absolute compatibility with the CoCo 1&2, and now nobody seems to use much CoCo 1&2 > stuff anyway. Will there be 6809 emulators still in development when it is released, or how much compatibility > should we expect? [L. Harris]

From : Kevin Darling (Fri Feb 16th)

A lot of people are remembering that CoCo lesson, and we think people will switch fully to the 68K side pretty quickly. Fortunately a lot of CoCo/OS9 software was done in C (no thanks to me :-) and will port right away. Which is the reason I finally am taking up C, as we'd like to see software at least portable back to the 6809 users, of which there'll still be a good number for a long while.

Both hardware/software emulation should be available. I find the software side to be useful with binary-only tools not yet written under 68K. VDG games are the main reason for the hardware side (cops, I mean games *and* MIDI stuff (grin to Mike K)).

From : RJ Miller

> What are the specs on the new machine gonna be? (speed, ram, disk type and size, etc). How long has it been in > development? At what stage of development is it now? Is software (C compiler, more specifically) being developed > simultaneously, will it all be ported, will it be left to the users...? [RJ Miller]

From : Kevin Darling

You mean "two new machines".

Well, much of the hardware has been worked on for well over a year... part of an original OS9 UG project which fell through due to members wanting MOTDs more often (sigh) (Editors Note: The MOTD "Message Of The Day" is the newsletter produced by the OS9 U.S. user group.) However, these latest enterprises only started in earnest about four months ago. There are only about a half dozen people involved altogether for both. Consider the number of people and \$\$\$ someone like Tandy has, and how long they take to bring out a new machine. And here we are, attempting to get ours out before the next fest in April! Try gathering a million dollars plus designing machines in that time frame, and I'd say we were all doing pretty well at it.

Page 2 April 1990

Both machines are probably a month or two behind where they'd really like to be. As soon as protos are available, pre-selected developers can begin porting their 6809 stuff over. It may take a month or two to get things really rolling. not bad. C compiler will be the Microware one, of course, tho it will be sold as cheaply as possible. So start saving now!

Both base systems will be using 8-10Mhz 68000 equivalents. Both will have optional 16Mhz 68030 cards very soon. Both will have a PC keyboard port, plus serial ports. Both should have QSK at least partly in ROM. I know this is all vague, but there is a small bit of competition between the two companies, and I'm there sitting in the middle... more as soon as I'm released. The main biggie to me is that they use different busses. However, I suspect that adapters will show up right quick. – Kev.

(Editor's Note - Some extracts from the OS9 SI5 file)

Figure standard 512K, expandable to at least 8meg. Several of each normally expected port types (serial/par/joy) plus one machine has stereo I/O analog ports. Video ranges from 320x400 256-color/pixel to 720x480 (overscan) 16-color/pixel. Of course you can add fancier video cards when available. Oh, and DMA hidensity floppy and SCSI ports of course (capable of about 1 megabyte/sec transfers if using synchronous SCSI, otherwise a meg would take a couple of seconds to transfer with normal SCSI). Both machines have standard PClone keyboard and serial-mouse ports.

The standard info is that FHL's KMA will have an (optional?) 6809 card and Tandy GIME, but KLE's will not. KLE's software will include an OS9 utility 6809 emulator. The latest word (from Kev himself I believe, on Delphi) is that this emulator will not only interpret the 6809 machine code, but actually *translate* it into equivalent 68000 code as it goes! Thus the speed improves a lot. What a testimonial for Motorola's architectures!

KLE also has another good-news trick up their sleeve for CoCo3 owners, but I can't say anything about it yet.

68030 cards will cost a bundle no matter who you get them from. Plus the bus, memory, and peripherals to go that fast. I don't know much about either machine's upgrade paths in that respect, tho last I heard at least KLE has '030 plans.

> What am I gonna have to pay for the KMA???

Depends on which one, and what you get on the bus. As I've said, perhaps around \$800+ (U.S.\$) for a pretty nice 512K system. An ST or Amiga equivalent, hardware-wise, would be at least \$1200+, I've estimated, not including extra 089 cost for those machines.

From : Bitnet.princeton (Wed Feb 28th)

Subject : FLH's KMA

I talked to Frank last Monday and he referred to the new computer he is making as "CoCo4". Base (on the motherboard) 6309 3MHz with K-bus. He has already 17 K-bus modules for sale (68000,68020 and 68030 + a lot more). He told me their KMA will be a BUFFERED CoCo bus, like the one we have on the CoCo3, 2 serial and one parallel port and 1 8bit A/D. Your 512K and/or 1Meg boards will plug right into the mother board. IBM (Ups). keyboard interface and RGB output. 100% compatible with OS9 Level II software. He said too that the prototype with Tandy OS9 Level II ran 40% faster than a stock CoCo3 and with the new update of OS9 (when ever it comes) the CoCo4 will run even faster. The price range for a populated CoCo4 board will be from \$200 - \$300. It is actually only a TURBO charged CoCo3 with a LOT of expansion capabilities in it.

END QUOTES

Well what does all this mean? The information presented above represents only part of the files from the Compuserve SIG which to me seems to be the most informative. Some other comments suggested that the ad in March Rainbow by Frank Hogg Labs for the 68030 QT K-System was their KMA - CoCo4. It seems to us however, that this is not the case, at least we hope not. The reason for saying this is that a base 68030 machine would start at about \$US 1100 and quickly add to \$US 5000 plus. That sort of price would certainly exclude most of us from owning one.

The final configuration of the Kenneth-Leigh and the Frank Hogg KMA is not crystal clear at this point, so we can only wait for more details.

Regards, Sordon

Page 3 April 1990

CONTENTS 0000000000000

For those of you who find it necessary to refer to back issues of the Newsletter, here is a contents listing of all of the Newsletters since the editorial panel transferred to Brisbane. We have decided that we should refer to these as the second volume of the series, hence the Vol 2 No. ... headings. All of the previous newsletters are now considered to be part of Volume 1. In future, we will be including a reference volume and number with each issue.

Vol 2. No. 01 (July 1988)

Page 01. Editorial ... Don Berrie Page 02. Ramdisk Device Descriptor ... Don Berrie Page 02. Boot Stepping Rate ... Bob Devries Page 03. Stylograph Overview ... Gordon Bentzen

Page 26. Membership Application Form

Vol 2. No. 02 (August 1988)

Page Ø1. Editorial ... Gordon Bentzen Page 02. Dynacalc Patches ... Gordon Bentzen Page 04. Iconedit (Basic09) ... Don Berrie Page 09. User Friendly Windows ... Don Berrie

Page 10. Membership Application Form

Vol 2. No. 03 (September 1988)

Page 01. Editorial ... Bob Devries ... George Francis Page 02. Letter Page 03. C-Compiler Patch Page 04. Review "MultiVue" ... Bob Devries rage 04. Keview "MultiVue" ... George Francis
Page 07. Sculptor Example ... Brad McMaster Page 09. Iconedit - Further Notes ... Don Berrie Page 10. National Usergroup Membership List - 31 August 1988

Page 11. Membership Application Form

Vol 2. No. 04 (October 1988)

Page 01. Editorial
Page 02. MultiVue & 'C' ... Don Berrie ... Bob Devries Page 03. Zap Part 1 ... Don Berrie Page 04. Koronis Rift Review ... Nickolas Marentes Page 05. 059 Error Messages ... Don Berrie

Vol 2. No. 25 (November 1988)

... Gordon Bentzen Page 01. Editorial Page 03. Rogue Review ... Nickolas Marentes Page 04. Starting with OS9 Part 1 ... Bob Devries Page 05. MultiVue & 'C' Part 2 ... Bob Devries

Vol 2. No. 06 (December 1988)

... Gordon Bentzen Page 01. Editorial Page 02. Making the most of 'C' ... Ross McKay Page 03. Starting with OS9 Part 2 ... Bob Devries ... Bob Devries Page 04. Reading LSN0 Page 05. Running a Terminal ... Don Berrie

AUSTRALIAN 0S9 NEWSLETTER Page 06. Patches to Zap ... Don Berrie Vol 3. No. 01 (Jan - Feb 1989) Page Ø1. Editorial ... Gordon Bentzen Page 02. Making the most of 'C' ... Ross McKay Page 03. Starting with 089 Part 3 ... Bob Devries Page 04. Running a Terminal ... Don Berrie Page 05. Convert Temperature 'C' ... Bob Devries Vol 3. No. 02 (March 1989) Page 01. Editorial ... Dor Berrie Page 02. Letter ... Ian Clarke Page 03. Editors Replu Page 03. Editors Reply ... Gordon Bentzen Page 04. Making the most of 'C' ... Ross McKay Page 05. Shellplus Review ... Don Berrie Page 06. RS232 Interface ... John Usher Page 07. A Database in 'C' Part 1 ... Bob Devries Vol 3. No. 03 (April 1989) ... Bob Devries Page 01. Editorial Page 01. Editorial ... Bob Devries Page 02. CoCo Hard Disks ... Don Berrie Page 03. OS9 System Part 1 ... Gordon Bentzen Page 04. Questions & Answers ... Don Berrie & Bo ... Don Berrie & Bob Devries Page 05. A Database in 'C' Part 2 ... Bob Devries Page 06. Public Domain Disk ... Bob Devries Vol 3. No. 04 (May 1989) ... Gordon Bentzen ... Ross Pratt ... Gordon Bentzen Page 01. Editorial Page 02. Hex and Ascii Dump Page 03. 059 System Part 2 ... Gordon Bentzen Page 04. FD502 Motoron Mods ... Bob Devries Page 05. Problems with Dsave ... Peter Barendrecht Page 06. A Database in 'C' Part 3 ... Bob Devries Page 07. C Compiler Environment ... Don Berrie Vol 3. No. 05 (June 1989) Page 01. Editorial ... Don Berrie Page 02. The OSK Experience ... Don Berrie Page 03. OS9 System Part 3 ... Gordon Bentzen Page 04. Two Disk Programme Conv ... Bob Devries Page 05. A Database in 'C' Part 4 ... Bob Devries Page 06. Bootsplit - new mods ... Bob Devries Vol 3. No.06 (July 1989) Page Ø1. Editorial ... Gordon Bentzen Page 02. Ohm's Law Demonstration ... Phil Frost Page 03. EDIT Tutorial Part 1 ... Don Berrie Page 04. PD Library Review ... Bob Devries Page 05. OS9 System Part 4 ... Gordon Bent:

... Gordon Bentzen

Vol 3. No. 07 (August 1989)

April 1990 Page 5

Page 06. A Database in 'C' Part 5 ... Bob Devries

```
Page 01. Editorial
                                         ... Bob Devries
        Page 02. EDIT Tutorial Part 2 ... Don Berrie
        Page Ø3. A Database in 'C' Part & ... Bob Devries
        Page 04. Label Printer
                                         ... Phil Frost
        Page 05. Public Domain Library
                                         ... Don Berrie
                                         ... Bob Devries
        Page 06. Upperdir
Vol 3. No. 08 (September 1989)
       Page 01. Editorial
                                         ... Gordon Bentzen
        Page 02. 4GL's and OS9 Part 1 ... Ole Eskildsen
        Page 03. OS9 Profile Review
                                        ... Gordon Bentzen
        Page 04. A Database in 'C' Part 7 ... Bob Devries
       Page 05. Calendar Programme
                                        ... Ole Eskildsen
Vol 3. No. 89 (October 1989)
        Page Ø1. Editorial
                                         ... Don Berrie
       Page 02. EDIT Tutorial Part 3
                                        ... Don Berrie
       Page 03. 089 'C' Compiler Review ... Bob Devries
       Page 04. A Database in 'C' Part 8 ... Bob Devries
       Page 05. System Tidyup Notes
                                         ... Don Berrie
Vol 3. No. 10 (November 1989)
       Page 01. Editorial
                                        ... Bob Devries
       Page 02. 4GL's and 089 Part 2
                                        ... Ole Eskildsen
       Page 03. Window Writer Tidyup
                                         ... Don Berrie
       Page 64. Super Controller Review
                                        ... Bob Devries
Vol 3. No. 11 (Dec 1989 - Jan 1990)
       Page 01. Editorial
                                        ... Gordon Bentzen
                                        ... David Eaton
       Page 02. Lineater
                                       ... Bob Devries
       Page 03. Resistor Calculator
       Page 04. CoCo's Future
                                        ... Nickolas Marentes
       Page 05. Clearing the Screen
                                        ... Bob Devries and Don Berrie
       Page 06. Windows Explained
                                        ... Rob Unsworth
                                         ... Ole Eskildsen
       Page 07. Savings Calculator
       Page 08. /dd Explained
                                         ... Gordon Bentzen
                                         ... Don Berrie
       Page 09. OS9 Tips
Vol 4. No. 01 (February 1990)
       Page 01. Editorial
                                        ... Gordon Bentzen
       Page 02. Basic09 Database
                                        ... Jules Ambrosi
       Page 03. Advanced Shellscript
                                        ... Don Berrie
       Page 04. Phoning North America?
                                         ... Rob MacKay
Vol 4. No. 02 (March 1990)
       Page 01. Editorial
                                        ... Gordon Bentzen
       Page 02. Tax, Income & Investment ... David Eaton
       Page 03. MVCanvas Review
                                        ... Bob Devries
                                        ... Bob Devries
       Page 04. Module Identification
       Page 05. Disk Zap Modifications
                                         ... Don Berrie
```

Page 5 April 1990

BASIC09 TOYS (COCO OS9 CNLY)

The following piece of code is somewhat of a novelty, and unfortunately, will only be of real value to those of you who have an SSC Pak (modified hardware and driver if running Level II) in their MultiPak. Still with me? Well read on. It does demonstrate a number of techniques, however, and from that point of view, will be of some interest to all.

This little programme is almost certainly guaranteed to tempt you into putting your fist through your favourite computer. It really is quite infuriating to have your CoCo remind you of the time in it's monotonous voice every minute. But that is all it does!

The major point however, is that it demonstrates, quite effectively, how you can change the priority of a programme on the fly. You could set the priority before the process started, but that would take system resources from all of the other active processes for the whole time this programme is running. (Actually this is not strictly true, as the programme requires almost no overhead during the time that it is sleeping.) A much more elegent way is to vary the priority of the programme during execution, dependant on the output requirements of the programme itself.

When the system writes to a device such as the SSC Pak, it needs to do it's writing in real time. In other words, it is dealing with an unbuffered device in the real world, that needs its input all at once. Otherwise you would get (admittedly small) gaps between syllables, hardly what you would want when you are trying to make something intelligible come from the SSC. It's hard enough to understand even when the CoCo is only driving the SSC and nothing else, let alone running it from a multitasking system like OS9. A description of the workings of the programme follows.

First of all, we set aside memory for our variables, and then run Syscall to get the process ID for the programme. This will be needed later on when we want to give the programme extra priority during it's output routine. We then initialize all of the actual speech strings with (approximations of) the output strings. All the programme does then, is to scan the built-in Basic 109 DATE string, and parse the output into the way someone would (well almost) tell you the time. Sort of like the Telecom 1194 service. It then increases the priority of the process, and outputs the time strings to the SSC Pak. Having done that it simply resets the priority, and then puts itself to sleep for about one minute (depending on the number of concurrent processes running). We then loop back and start again.

It does show the versatility of the OS9 system in the way the output device is treated exactly the same as a file, or any other device. It also demonstrates a way to avoid a line like:

SHELL "Sleep 2800"

by the use of a direct system service request to the F\$Sleep call. Calling the sleep command via a SHELL Command Line would, if used, cause the sleep utility to be loaded each time the main loop is executed. Not much good if your system halts each time the disk is accessed. And of course, it shows you a technique for varying the priority of a process during execution.

To run the program, you have two options. It can be run from Basic@9, simply by loading the procedure and typing run. <BREAK> will terminate the Procedure.

As an alternative, and I think the better way, you can pack the module and have it inserted in your Execution Directory. The Pack Command does this automatically. Then you can call the programme from the command line by simply typing its name, followed by an ampersand (&) to make it a concurrent process. To terminate the process, you will either have to have made a note of the process number when the shell forked the process (eg the shell reports this by printing something like &004), or you will have to examine memory to find the process number of RunB (with the "procs" command), and then use the built-in shell command, kill, to kill the relevant process number. In this instance, you will have to have the RunB module in your Execution Directory. In either case, the programme needs to have access to the Syscall function to be able to run the system service request to call the F\$ID, F\$SPrior and F\$Sleep SVC's.

Page 7 April 1990

```
PROCEDURE telltime
BASE Ø
DIM ssc, callcode, procid: BYTE
DIM hours, mins1, mins2:BYTE
DIM mtens(6),ampm:STRING[20]
DIM teens(21):STRING[15]
DIM osa,osb,osc:STRING[80]
TYPE registers=cc,a,b,dp:BYTE; x,y,u:INTEGER
DIM regs:registers
regs.a=0
regs.y=0
callcode=$@0
RUN syscall(callcode, regs)
procid=regs.a
teens(0)="*
teens(1)="wun "
teens(2)="tew "
teens(3)="threee "
teens(4)="phore "
teens(S)="phive "
teens(8)="sicks "
teens(7)="sevum "
teens(8)="eight "
teens(9)="nimen "
teens(10)="ten"
teens(11)="eelevun "
teens(12)="twelly "
teens(13)="thurtean "
teens(14)="phore tean "
teens(15)="fiftean "
teens(16)="sickstean "
teens(17)="sevuntean"
teens(18)="eightean "
teens(19)="nimen team *
teens(20)=""
mtens(0)="o *
mtens(1)=""
mtens(2)="twentee "
mtens(3)="thurty "
mtens(4)="phone tee "
mtens(5)="phiftee "
OPEN #ssc."/ssc":WRITE
10 hours=VAL(MID$(DATE$,10,2))
mins1=VAL(MID$(DATE$,13,1))
mins2=VAL(MID$(DATE$,14,1))
IF hours=12 AND mins1=0 AND mins2=0 THEN
mins1=1
mins2=20
ampm="noon"
G0T0 :5
ENDIF
IF hours=0 THEN
hours=12
ampm="aayem"
IF mins1=0 AND mins2=0 THEN
minsi=1
mins2=20
```

```
ampm="midnight"
G0T0 15
ENDIF
G0T0 12
ENDIF
IF hours)11 THEN
IF hours>12 THEN
hours=hours-12
ENDIF
ampm="peeyem"
ELSE
ampm="aayem"
ENDIF
12 IF mins1=0 AND mins2=0 THEN
mins1=1
mins2=20
G070 15
ENDIF
IF mins1=1 THEN
mins2=mins2+10
ENDIE
15 regs.a=procid
regs.b=200
callcode=$@D
RUN syscall(callcode, regs)
PRINT #ssc, "the tyme is "
PRINT #ssc, teens(hours); mtens(mins1); teens(mins2); ampm
regs.b=128
RUN syscall(callcode, regs)
regs.x=2800
reas.b=0
callcode=$@A
RUN syscall(callcode, regs)
50T0 10
CLOSE #ssc
```

Please excuse my phonetics. You may be able to improve on these spellings. I would be interested to hear from anyone who has written any other Basic09 code which uses the SSC Pak.

The hardware patches to the SSC Pak to allow it to work at the faster clock speed of Level II were published in the U.S. Rainbow. My thanks to Bob Devries for the patches to the SSC driver.

If you have any questions or comments, please don't hesitate to call me.

Cheers, Don Berrie (07) 375-3236.

CC3Go and the ShellPlus Path command.

By Bob Devries.

Those of you who have the enhanced 'shell' programme called 'shellplus' (Vers 2.1) by Rom Lammardo, will probably be using the 'path' command to make life easier. This is especially true for those of us with hard disk drives, as they are usually set up with a large number of sub-directories. In my own system, for instance, I have the path command:

path=/H0/CMDS /H0/CMDS/MVUE /H0/SCRIPTS

This makes it easier for 059 to find various files when I want to use them.

You will no doubt have found, as I did, that although you can set a path for a shell you start from the command line or from the startup file, you could not do so for the TERM device. The reason for this is that the snell which runs the startup script file is terminated before the shell which runs the TERM device. As well as that, this new shell has its parameters set by the OSP system in the CC3Go programme.

The assembler file I have included here is a modified version of CC3Go, with the parameters changed so that the TERM device will also have the path command set on startup. You'll find the necessary paths set in lines 49 to 54 of the assembler file. These paths may be changed to any path names which you use regularly, but I think the maximum may be 80 characters.

To use this,new CC3Go, type in the assembler source, remembering that only from the label column needs to be typed for the assembler. Then you can assemble it using ASM like this:

ASM cc3go.asm 1,o=cc3go #20k

Now you need to create a new OS9Boot file and remove the old cc3go and replace it with the new one, and then os9gen to a new disk.

In the assembler source file there MUST be a 'fcb \$20' between the path fcc's, just as there would be if you typed it on the command line.

Anyway here is the code for CC3Go as cutput from my ASM programme.

```
33001
                                   003Ga
                              กลต
20002
                              ttl modified to provide paths for TERM
30003
                                   /dd/defs/os9defs
                              USP
30004
                              ifpl
00006
                              endo
20907
      2201
                              equ $01
                      Vers
22008 0000 87CD01D4
                              mod endmod, name, prorm+objct, vers, start, andmem
38209 D 8000
                      buffer
                            rmb $0200
30010 D 0200
                      stack
                              rmb $0100
00011 D 0300
                      endmem equ
00012
00013 000D 43433347
                    name
                             fcs "003Go"
20014 6012 05
                      edit
                             fcb 5
                                  * 05-9 LEVEL TWO VR. 02.00.01*
20015 2013 204F532D
                      banner fcc
20016 002F 0D
                              fcb $0D
20017 2030 0A
                              fcb $0A
00018 0031 20202020
                              fcc "
                                         COPYRIGHT 1986 BY*
00019 0047 0D
                              fcb
                                  $0D
00020 0048 0A
                              fcb
30921 8049 2020204D
                                   " MICROWARE SYSTEMS CORP."
                              fcc
                              fcb
00022
      0063 0D
                                   ∌ØD
30023 0064 0A
                              fcb $0A
                              fcc " LICENSED TO TANDY CORP."
00024 0065 2020204C
20025 007F 0D
                                  $00
                              fcb
30026 0080 0A
                              fcb
                                  $ØA
                                   s
20027
      0081 20202020
                                        ALL RIGHTS RESERVED."
                              fcc
      0099 OD
                              fcb $0D
00028
00029
      209A 8A
                              fcb
30030 009B 0A
                              fcb
                                  $ØA
20031
      009C
                      banend equ
                                  * /H@*
90032
      009C 2F4830
                      hddir
                              fcc
                              fcb $00
00033
       009F 0D
                             fcc "/HØ/"
30034
       00A0 2F48302F
                    hxdir
```

```
20035 20A4 436D6473 cmddir fcc 'Cmds'
00034 00A8 0D
                          fcb $00
00037 00A9 20202020
                          fcc ",,,,,"
00039 00B3 0D
                          fcb $0D
00040 0084 20202020
                          fcc ",,,,,"
00041 00B9 4175746F autoex fcc "AutoEx"
00042 00BF 0D
                          fcb
00043 00C0 2C2C2C2C
                              n,,,,,,
                          fcc
00044 0005 53544152 stadat fcc "STARTUP -P"
                          fcb $0D
00045 00CF 0D
00046 0000 20202020
                          fcc ",,,,,"
00047 0005,693D2F31 shedat fcc "i=/1"
00048 00D9 20
                          fcb $20
00049 000A 70617468 pthdat fcc "path=/H0/CMDS" path command + first path
                   fcb $20 space character to separate path names
00050 00E7 20
                         fcc "/HØ/CMDS/MVUE"
00051 00E8 2F48302F
00052 00F5 20
                         fcb $200
00053 00F6 2F48302F
                         fcc "/HØ/SCRIPTS" you may add extra paths after this one
                  noparm fcb $0D don't forget spaces between them
00054 0101 0D
00055 0102 20202020
                          fcc ",,,,,
00056 0107 ethend equ *
00057 0107 57021000 deftim fcb $57,$02,$10,$00,$00,$00
00058 010D 308D00C1 start leax rti,pcr point x to interupt vector
00059 0111 103F09 os9 f$icpt set interupt vector
00060 0114 103F0C
                         os9 f$id get proces ID
00061 0117 C680
                         ldb #$8Ø
00062 0119 103F0D
                         os9 f$sprior set priority to 128
00063 0110 309DFEF3
                          leax banner, por point to copyright banner
                      ldy #banend-banner get message length
00064 0120 108E0089
                          lda #$01
00065 0124 8601
00066 0126 103F8A
                         os9 i$write and write to stdout
00067 0129 308DFFDA
                         leax deftim.pcr get default date and time
                         os9 f$stime and start the clock with it
00068 012D 103F16
00069 0130 308DFF70
                          leax cmddir,pcr point x to CMDS dir name
00070 0134 8604
                         lda #EXEC. set execute mode
00071 0136 103F86
                         os9 i$chgdir change directory to it (if possible)
                        leax hddir,pcr point to hard drive root dir
00072 0139 308DFF5F
                         lda #UPDAT. use update mode
00073 013D 8503
00074 013F 103F86
                         os9 i$chedir and attempt to chd to it
00075 0142 2509
                         bcs nohard
00076 0144 308DFF58
                         leax hadir, por point to hard drive CMDS dir
00077 0148 8604
                          lda #EXEC. use execute mode
                    os9 ischgdir and do a chx to it
00078 014A 103F86
00079 014D 3460 nohard pshs u,y save regs
00080 014F 103F0C
                  os9 f$id
                                       get process ID (again)
00081 0152 2579
                          bcs quit
                                       quit if error
00082 0154 3004
                          leax buffer, u point x to 512 byte buffer
00083 0156 103F18
                          os9 f$gprdsc copy process descriptor into it
00084 0159 2572
                          bos quit
                                        quit if error
00085 015B 31C4
                          leay buffer, u point y to buffer
00086 015D 8E0000
                          ldx #$0000 set for block #0
                          ldb #$Ø1
00087 0150 C601
                                       only i block
00088 0162 103F4F
                         os9 f$mapblk map block into workspace
00089 0165 2566
                         bcs quit quit if error
                          lda #$55 set warm-start flag byte
00090 0167 8655
                          sta D.CBStrt,u store it at warm-start flag
00091 0169 A70871
                          1dd D.SysPrc,u get system process descriptor address
00092 016C ECC84A
```

Page 11 April 1990

```
00093 016F 33CB
                                                            leau d,u
 30094 0171 330820
                                                            leau P$DIO.u point to default IO area
 00095 0174 31A820
                                                            leay $20,y
 00095 0177 C50F
                                                            ldb #$ØF
                                                                                           move 15 bytes to local storage
                                           loop lda b,y
 00097 0179 A6A5 00098 0178 A7C5
                                              sta b,u
 00099 017D 5A
                                                            decb
00100 017E 2AF9
                                                           bpl loop
 00101 0180 308DFF2A
                                                           leax shell.pcr point x to 'shell' name
                                                        leau stadat,pcr point u to parameter data
 00102 0184 338DFF3D

      00123
      0188 CC0100
      ldd
      #$0100
      a=typ/lan,b=size of data area

      00104
      018B 108E0010
      ldy
      #$0010
      y=size of parameter area

      00105
      018F 103F03
      os9
      f$fork
      fork the shell to run startup

      00106
      0192 2539
      bcs
      quit
      quit if error

      00107
      0194 103F04
      os9
      f$wait
      wait for startup to finish

      00108
      0197 308DFF1E
      leax
      autoex,pcr
      point to 'AutoEx' name

      00109
      019B 338DFF62
      leau
      noparm,pcr
      point to parameter area

      00110
      019F CC0100
      ldd
      #$0100
      a=typ/lan,b=size of data area

      00111
      01A2 108E0001
      ldy
      #$0001
      y=size of parameter area

      00112
      01A6 103F03
      os9
      f$fork
      fork 'AutoEx' if possible

      00113
      01A9 2503
      bcs
      nofork

 00123 0188 CC0100
                                                            ldd #$0100 a=typ/lan,b=size of data area
                                                                                             fork the shell to run startup file
                                             bcs nofork
os9 f∮wait wait for 'AutoEx' to finish
00113 01A9 2503
00114 01AB 103F04
 20115 01AE 3560 nofork puls u,y restore regs
00116 01BO 308DFF21 leax shedat,pcr point x to shell parameter area 00117 01B4 31C4 leay buffer,u point y to buffer area 00118 01B6 C632 ldb #pthend-shedat b=length of parameter area
20119 01B8 A680 loop2 lda ,x+ move b bytes from x to y 20120 01BA A7A0 sta ,y+
                                           sta ,y+
00121 01BC 5A
                                                             decb
00122 01BD 26F9
                                                           bne loop2

        00122
        0180 2677
        00e 100p2

        00123
        018F 308DFEER
        leax shell,pcr point x to 'shell' name

        00124
        01C3 CC0100
        ldd ##0100 a=typ/lan,b=size of data area

        00125
        01C6 108E0032
        ldy #pthend-shedat y=size of parameter area

        00126
        01CA 103F05
        os9 f$chain chain 'shell' and never return

 00127 W 01CD 7FFFA8 quit clr $FFA8 here on some errors set block #0 in task 1
20128 01D0 0E6B jmp D.Crash jump to CC warmstart routine C0129 01D2 3R rti rti interupt routine (does nothin 20130 01D3 8F1396 emod
                                                                                            interupt routine (does nothing)
30131 01D6 endmod equ *
20132
                                                               end
```

00020 error(s)

00001 warning(s)

≇01D6 00470 program bytes generated

\$0300 00768 data bytes allocated

51F24 07972 bytes used for symbols

TRADING POST

WANTED: Rohan Brown is looking for an original copy of Tandy DeskMate 3 for the CoCo3, if you have a copy for sale, please contact Rohan 75 Pembroke Road, Mooroolbark Vic. 3138 - home phone 03 725 6583.

FOR SALE: AVTEK Mini Modem II \$100.00 complete with cable and plugs. Contact Rob Mackay 27 Mawarra Street, Kingston Qld 4114 - home phone 07 209 3104